TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

# LIGHTSHIP OR LIGHT STATION LOG

## MONTHLY SUMMARY

*(Fill Out on Last Day of Month)*

U. S. COAST GUARD LIGHT STATION ROSE ISLAND NEWPORT, R.I. MONTH OF JANUARY

SUPPLIES *(Light Station Only)*

| | FUEL | DIESEL OIL, GAL. | GASOLINE, GAL. | LUB. OIL, GAL. | WATER, GAL. | | |
|---|---|---|---|---|---|---|---|
| RECEIVED | 2,075 | | 230 | 20 | 10,000 | | |
| EXPENDED | 365 | | 30 | 1 | 000000 | | |
| REMAINING | 1,710 | | 200 | 19 | 10,000 | | |

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

| | FOG SIGNAL | RADIO BEACON | | |
|---|---|---|---|---|
| | | LOW VISIBILITY | REGULAR CALIBRATION | SPECIAL BEACON CALIBRATION |
| TOTAL PREVIOUS MONTHS OF YEAR | 1,735.40 HR. | HR. | HR. | HR. |
| TOTAL THIS MONTH | 65.00 HR. | HR. | HR. | HR. |
| TOTAL YEAR TO DATE | 1,800.40 HR. | HR. | HR. | HR. |

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
*(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)*

| | EXCELLENT | GOOD | FAIR | POOR | REMARKS |
|---|---|---|---|---|---|
| BUILDINGS OR HULL | | X | | | |
| ILLUMINATING APPARATUS | X | | | | |
| FOG SIGNAL | | X | | | |
| RADIOBEACON | | | | | |
| MACHINERY | | | | | |
| BOATS (BY NO.) | | | | | |
| 16585-16716 | | X | | | |
| VEHICLES (BY NO.) | | | | | |

NUMBER DISABLING INJURIES REPORTED 00 DAYS LOST 00 ACCIDENTAL DAMAGE TO PROPERTY, $ 00

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

| NAME | LL. NO. | CONDITION | REMARKS |
|---|---|---|---|
| GULL RKS. L/STATION | 547 | GOOD | NONE |

*(Use Other Side if Necessary)*

CERTIFIED TO BE CORRECT
Louis G. White
LOUIS G. WHITE EN-2
*(Officer in Charge)*

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 1st January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | Calm | | 3000 | | 31 | BC | ASST | 4 | 8 | — | — |
| 0400 | W | 2 | 3000 | | 30 | BC | ASST | 8 | 8 | — | — |
| 0800 | W | 2 | 2988 | | 34 | BC | ASST | 8 | 8 | — | — |
| 1200 | W | 2 | 2996 | | 36 | BC | ASST | 8 | 8 | — | — |
| 1600 | Calm | | 2994 | | 35 | BC | ASST | 3 | 8 | — | — |
| 2000 | W | 2 | 2986 | | 32 | BC | ASST | 3 | 8 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2175 | 19 | 5200 |
| EXPENDED | 15 | — | 100 |
| REMAINING | 2160 | 19 | 5100 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1600

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | 00 | 00 | |
| TOTAL FOR MONTH | | 00 | 00 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked vis A/N

L G White

0400 - 0800

0400 checked vis A/N

0700 Secured main light

L G White

0800 - 1200

0800 Morning colors Turn to Station work

L M Adams SA

1200 - 1600

1200 Chow down

1230 Held Damage control drill

1300 Secured from drill turned to

LTM. Adams SA

1600 - 2000

1600 Main Light on - Secured from station work

1612 Evening colors

LTM. Adams SA

2000 - 2400

2000 Checked All A/N vis

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545—1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 2nd January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | N | 2 | 2966 | | 32 | S | NS | 10 | 5 | – | – |
| 0400 | N | 2 | 2956 | | 30 | S | NS | 10 | 2 | – | – |
| 0800 | N | 4 | 2956 | | 23 | S | NS | 10 | 3 | – | – |
| 1200 | N | 3 | 2958 | | 32 | BC | ASST | 5 | 8 | – | – |
| 1600 | NW | 2 | 29.60 | | 30 | BC | ASST | 5 | 8 | – | – |
| 2000 | NW | 2 | 29.64 | | 28 | BC | ASST | 4 | 8 | – | – |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2160 | 19 | 5100 |
| EXPENDED | 15 | – | 200 |
| REMAINING | 2145 | 19 | 1900 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0930 Time Lighted 1600

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0315 | 0930 | 6 | 15 | 15 |
| TOTAL FOR DAY | | 6 | 15 | 15 |
| TOTAL FOR MONTH | | 6 | 15 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked vis A/N.

0315 Started Fog Horn & Gull RKs Bell Snow

0400 - 0800 L.M. Adams SA

0400 Checked All A/N Not vis

0800 - 1200 L.M. Adams SA

0800 Morning colors - Quarters - Turned to station work

0930 Secured Gull RK's bell, Foghorn & Main Light

1200 - 1600 L.M. Adams SA

1200 Chow down

1230 Held Fire drill

1300 Secured from drill, Turned to station work

☆ 1240 CG40522 moored station with Roy BM-1 & Murphy FN off liberty

☆ 1245 CG40522 departed station with White EN-2 on liberty

1250 Received R 021720Z from Castle Hill

W J Murphy Fn

1600 - 2000

1600 Main light on, Secured from Station work.

1615 Evening colors.

L.M. Adams SA

2000 - 2400

2000 Checked All A/N vis

☆ 1120 Received P021530Z From Castle Hill L/B/S

L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R Roy BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545—1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 3rd January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | W | 2 | 2968 | | 17 | BC | ASST | 2 | 8 | — | — |
| 0400 | W | 2 | 2969 | | 21 | BC | ASST | 2 | 8 | — | — |
| 0800 | W | 2 | 2970 | | 24 | BC | ASST | 2 | 8 | — | — |
| 1200 | SW | 5 | 29.60 | | 34 | BC | ASST | 6 | 8 | — | — |
| 1600 | SW | 5 | 29 54 | | 35 | OZ | ST | 6 | 8 | — | — |
| 2000 | WSW | 4 | 29.53 | | 37 | O7 | ST | 8 | 8 | — | — |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2145 | 19 | 4900 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2130 | 19 | 4,700 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1600

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | — | — | |
| TOTAL FOR MONTH | | 6 | 15 | |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N U/S

L.M. Adams SA

0400-0800

0400 Checked All A/N U/S

0700 Secured Main Light

L.M. Adams SA

0800-1200

0800 Morning colors, Quarters - Turned to station WORK

0845 Started both emergency generators.

0945 Secured emergency generators

1115 Power failure, Emergency generator started

1130 Power on, Emergency generator off.

W J Murphy Fn

1200-1600

1200 Secured for chow

1230 Held Safety Instruction.

1305 P 031740Z SMALL CRAFT WARNINGS.

Secured from drill, turned to.

W J Murphy Fn

1600-2000

1600 Secured from station work.

1615 Main light on

1630 Evening colors,

1645 Received P032032Z from Castle Hill L/B/S

L.M. Adams SA

2000-2400

2000 Checked All A/N U/S

L.M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 4th January 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 2 | 29.56 | | 20 | BC | ASST | 2 | 8 | — | — |
| 0400 | NW | 2 | 29.58 | | 24 | BC | ASST | 2 | 8 | — | — |
| 0800 | CAlm | | 29.60 | | 36 | BC | ASST | 2 | 8 | — | — |
| 1200 | CAlm | | 29.82 | | 48 | BC | ASST | 2 | 8 | — | — |
| 1600 | N | 3 | 2998 | | 32 | BC | ASST | 2 | 8 | — | — |
| 2000 | N | 2 | 30.29 | | 21 | BC | ASST | 2 | 8 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2130 | 19 | 4700 |
| EXPENDED | 15 | | 200 |
| REMAINING | 2115 | | 4500 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1600

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| | | | | |
| TOTAL FOR DAY | | – | – | |
| TOTAL FOR MONTH | | 6 | 15 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | REGULAR RADIOBEACON MIN. | SPECIAL CALIB. BEACON HR. | SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N U's

L. M. Adams SA

0400-0800

0400 Checked All A/N U's

0700 Secured Main Light

L. M. Adams SA

0800-1200

0800 Morning colors - Quarters - Turned to station work

1015 CG 40522 moored station

1020 CG 40522 departed with Roy BM1 enroute ~~route~~ Newport Naval Hospital

L. M. Adams SA

1200-1600

1200 Chow down

1230 Held ABC Drill

1300 Turned to station work

1600-2000 L. M. Adams SA

1600 Checked All A/N U's - Main Light ON

1628 Evening colors Secured from station work

L. M. Adams SA

2000-2400

2000 Checked All A/N U's

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 5th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 3 | 30.32 | | 12 | BC | ASST | 2 | 8 | — | — |
| 0400 | NW | 3 | 30.36 | | 15 | BC | ASST | 2 | 8 | — | — |
| 0800 | NW | 3 | 30.40 | | 18 | BC | ASST | 2 | 8 | — | — |
| 1200 | N | 2 | 30.37 | | 26 | Oc | ASST | 8 | 8 | — | — |
| 1600 | N 2 | 2 | 30.24 | | 32 | BC | ASST | 8 | 8 | — | — |
| 2000 | N | 1 | 30.36 | | 35 | BC | ASST | 8 | 8 | — | — |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2115 | 19 | 4500 |
| EXPENDED | 15 | - | 200 |
| REMAINING | 2100 | 19 | 4300 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 2 | |

MAIN LIGHT Time Extinguished 0700 Time Lighted 1615

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| TOTAL FOR DAY | | - | - | |
| TOTAL FOR MONTH | | 6 | 15 | |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N Ui's

L. M. Adams SA

0400-0800

Checked All A/N Ui's

0700 Secured MAIN ~~080~~ Light

L. M. Adams SA

0800-1200

0800 MORNING colors, QUARTERS - TURNed to STATION WORK

0855 CG40522 moored with Roy BM1 ~~fr~~ from Newport Naval Hospital and White En2 from liberty

0900 CG40522 departed with Adams SA on liberty

W J Murphy Fn

1200-1600

1200 Chow down

1230 Held boat drill

1300 turned to; secured from boat drill

1410 CG40522 moored with Schafer W2, Base Woods Hole Engineering ~~offi~~ officer.

1450 CG40522 departed station with Schafer W2 aboard.

1600-2000

1615 Turned on Main Light

1630 Evenings Colors secured station work

W J Murphy Fn

2000-2400

2000 Checked all a/n ui's.

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 6th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | N | 1 | 3008 | — | 36 | OZ | NS | 8 | 6 | — | — |
| 0400 | CALM | | 29.79 | — | 38 | F | NS | 8 | 4 | — | — |
| 0800 | CALM | | 2990 | — | 39 | F | NS | 10 | 4 | — | — |
| 1200 | S | 1 | 29.81 | — | 44 | FR | NS | 10 | 5 | — | — |
| 1600 | SE | 2 | 29.70 | — | 44 | R | NS | 10 | 6 | — | — |
| 2000 | N | 1 | 29.45 | — | 40 | R | NS | 10 | 4 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2100 | 19 | 4300 |
| EXPENDED | 10 | — | 200 |
| REMAINING | 2090 | 19 | 4100 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished CON'T Time Lighted 1600

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| 0100 | 1530 | 14 | 30 | 15 |
| 1600 | 0000 | 8 | 00 | 15 |
| TOTAL FOR DAY | | 22 | 30 | |
| TOTAL FOR MONTH | | 28 | 45 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | REGULAR RADIOBEACON MIN. | SPECIAL CALIB. BEACON HR. | SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 checked vis A/N Received P060416Z

0100 started fog horn & Gull Rks Bell

0400-1200

0800 MORNING COLORS, TURNED TOO STATION WORK.

0930 CG16716 DEPARTED STATION FOR NEWPORT. FOR, Chow AND MAIL C MURPHY FN AND WHITE EN-23 IN BOAT.

1030 CG16716 MOORED STATION WITH MAIL AND chow

W J Murphy Fn

1200-1600

1200 Secured for chow

1230 Held STATION INSPECTION

1240 Secured from STATION INSPECTION

1245 CG16716 departed for GULL ROCKS, Ran Gen. for Test

1330 CG16716 moored Station

1530 Secured Foghorn, gull rocks Bell, and MAIN Light

~~1400~~

W J Murphy Fn

1600-2000

1600 STARTed Fog horn, gull rocks, MAIN Light ON.

1615 Evening colors

W J Murphy Fn

2000-2400

2000 ALL A/N not vis

2320 Received P070320Z from Castle Hill

W J Murphy Fn

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 7th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | S | 1 | 29 40 | | 43 | R | NS | 10 | 6 | — | — |
| 0400 | SW | 1 | 29 38 | | 46 | R | NS | 10 | 6 | — | — |
| 0800 | SW | 2 | 29 37 | | 48 | Bc | ASST | 4 | 8 | — | — |
| 1200 | SW | 3 | 29.35 | | 51 | Bc | ASST | 4 | 8 | — | — |
| 1600 | SW | 2 | 2940 | | 43 | Bc | ASST | 4 | 8 | — | — |
| 2000 | SW | 2 | 29.46 | | 42 | Bc | ASST | 4 | 8 | — | — |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2090 | 19 | 4160 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2075 | 19 | 3900 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0900 Time Lighted 1600

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0000 | 0900 | 09 | 00 | 15 |
| TOTAL FOR DAY | | 9 | 0 | |
| TOTAL FOR MONTH | | 37 | 45 | 15 |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 ALL A/N NOT VIS

0400 ALL A/N NOT VIS

WJMurphy Fn

0400-0800

~~0900~~

WJMurphy Fn

0800-1200 WJM

0800-MORNING COLORS, QUARTERS, ~~Turned To~~ HOLIDAY ROUTINE

0900-Fog HORN, gULL ROCKS BeLL, AND MAIN LIGHT off

WJMurphy Fn

1200-1600

1200 Secured for chow

WJMurphy Fn

1600-2000

1630 Main light off

1645 Evening colors.

Vincent R. Roy BM-1

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 8th January 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND |  | BAROMETER | TEMP. °F. |  | WEATHER | CLOUDS |  | VIS. | SEA |  |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | DIR. | FORCE |  | WET | DRY |  | FORM | AMT. |  | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 29.48 | - | 42 | BC | AS/ST | 7 | 8 | — | — |
| 0400 | SW | 2 | 29.51 | - | 42 | BC | AS/ST | 7 | 8 | — | — |
| 0800 | SW | 1 | 2954 | - | 42 | BC | AS/ST | 7 | 8 | — | — |
| 1200 | SW | 1 | 2950 | - | 46 | BC | AS/ST | 6 | 8 | — | — |
| 1600 | SW | 2 | 2950 | - | 42 | BC | AS/ST | 4 | 8 | — | — |
| 2000 | SW | 2 | 2950 |  | 38 | BC | AS/ST | 4 | 8 | — | — |

**SUPPLIES** (Vessel Report Daily)

|  | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2,075 | 19 | 3900 |
| EXPENDED | 15 | – | 200 |
| REMAINING | 2,060 | 19 | 3,700 |

**COMPLEMENT**

|  | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 |  |
| ATTACHED | 4 |  |
| AL, AWL, AOL |  |  |
| AH |  |  |
| PRESENT | 2 |  |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1600

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED |  | AIR PRESSURE |
|---|---|---|---|---|
|  |  | HR. | MIN. |  |
| TOTAL FOR DAY |  | — | — |  |
| TOTAL FOR MONTH |  | 37 | 45 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG |  | ANT. CUR. | CALIBRATION SERVICES |  |  |  |
|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  | REGULAR RADIOBEACON |  | SPECIAL CALIB. BEACON |  |
|  |  | HR. | MIN. |  | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY |  |  |  |  |  |  |  |  |
| TOTAL FOR MONTH |  |  |  |  |  |  |  |  |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked ALL Vis A/N

0400 Checked ALL Vis A/N

Vincent R. Roy BM-1

0400-0800

0700 SECURED MAIN LIGHT Checked ALL VIS A/N

0800 MORNING COLORS

L G White

0800-1200

0800 Turned To Station Work

1120 Adams SA Returned Station from Liberty, Roy BM-1 and Murphy FN Departed on Liberty with CG 40522

L G White

1200-1600

1200 Chow, checked Vis A/N

1230 held Damage Control Drill

1300 Tunred to

L. M. Adams SA

1600-2000

1600 MAIN Light on - Checked All Vis A/N Secured from daily Routine

1618 Evening colors

L G White

2000-2400

2000 Checked Vis A/N

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 9th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 2960 | | 25 | BC | ASST | 3 | 8 | — | — |
| 0400 | SW | 2 | 2970 | | 27 | BC | AS/ST | 3 | 8 | — | — |
| 0800 | SW | 2 | 2980 | | 29 | BC | AS/ST | 3 | 8 | — | — |
| 1200 | SW | 2 | 2990 | | 36 | BC | ASST | 3 | 8 | — | — |
| 1600 | SW | 2 | 2996 | | 31 | BC | ASST | 3 | 8 | — | — |
| 2000 | SSW | 3 | 3002 | | 30 | BC | AS/ST | 3 | 8 | — | ✓ |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2,060 | 19 | 3,700 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2,045 | 19 | 3,500 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1600

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 37 | 45 | 15 |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N U/S L. M. Adams SA

0400-0800

0400 Checked All A/N UPS

0700 Secured Main Light- Received P090918 Z from Castle Hill 4B/S L. M. Adams SA

0800-1200

0800 Morning colors - Quarters - Turned to station work L G White

1200-1600

1200 chow

1230 Held fire drill

1300 Secured from drill - Turned to Station work

1600-2000 L. M. Adams SA

1600 Secured from station work, Main Light ON

1620 Evening colors

2000-2400 L. M. Adams SA

2000 Checked All A/N U/S

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 10th January 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SSW | 2 | 3006 | | 19 | BC | ASST | 7 | 8 | — | — |
| 0400 | SSW | 2 | 3008 | | 20 | BC | ASST | 7 | 8 | — | — |
| 0800 | SSW | 2 | 3010 | | 22 | BC | ASST | 7 | 8 | — | — |
| 1200 | NW | 2 | 3014 | | 21 | BC | ASST | 7 | 8 | — | — |
| 1600 | NNW | 2 | 3014 | | 22 | BC | ASST | 9 | 8 | — | — |
| 2000 | NNW | 3 | 3018 | | 20 | BC | ASST | 7 | 8 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2045 | 19 | 3500 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2030 | 19 | 3,300 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1600

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | — | — | |
| TOTAL FOR MONTH | | 37 | 45 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked All A/N U's

L. M. Adams SA

0400 - 0800

0400 Checked All A/N U's

0700 Secured Main Light

L. M. Adams SA

0800 - 1200

0800 Morning colors - Quarters - Turned to Station work

1200 - 1600

L. M. Adams SA

1200 Chow

1230 Held Safley Drill

1300 Turn to station work Started station Machinery for Test Run 1 hour

L. M. Adams SA

1600 - 2000

1600 Checked All A/N U's - Main Light ON
Secured from station work

1630 Evening colors

2000 - 2400

L. M. Adams SA

2000 Checked All A/N U's

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 11th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NNW | 2 | 3020 | | 05 | BC | ASST | 2 | 8 | — | — |
| 0400 | NNW | 2 | 3025 | | 12 | BC | ASST | 2 | 8 | — | — |
| 0800 | NNW | 2 | 3028 | | 19 | BC | ASST | 2 | 8 | — | — |
| 1200 | Calm | | 3020 | | 30 | BC | ASST | 2 | 8 | — | — |
| 1600 | SW | 2 | 3016 | | 26 | BC | ASST | 2 | 8 | — | — |
| 2000 | SW | 2 | 3018 | | 33 | BC | ASST | 2 | 8 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2030 | 19 | 3300 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2,015 | 19 | 3100 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1600

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | — | — | |
| TOTAL FOR MONTH | | 37 | 45 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ________ TIME STOP ________

**RADIOBEACON TEST**

TIME START ________ TIME STOP ________

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400
0000 Checked All A/N U/S

L. Mc Adams SA
0400-0800

0400 Checked All A/N U/S - Main power off - emergency
generator on
0410 Main power back on
0700 Secured Main Light

L. Mc Adams SA
0800-1200

0800 Morning colors - Quarters - Turned to station work

1200-1600 L. Mc Adams SA

1200 Chow down
1205 CG16716 departed station, enroute moorings
for Roy BM-1 & Murphy FN off liberty & supplies
White EN-2 on liberty
1230 CG16716 moored station with Roy BM-1
& Murphy FN off liberty - Held "ABC" Drill
1430 CG16716 departed station with Murphy FN
enroute Castle Hill L/B/S for supplies
1515 CG16716 moored station with Murphy FN
& supplies

1600-200

1600 Main Light on - Checked All U/S A/N
Secured from station work
1630 Evening colors

2000-2400

2000 Checked All A/N U/S

L. Mc Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 12th January 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 3010 | | 16 | BC | ASST | 3 | 8 | — | — |
| 0400 | SW | 2 | 3011 | | 18 | BC | ASST | 3 | 8 | — | — |
| 0800 | SW | ~~3~~ 2 | 3012 | | 21 | BC | ASST | 3 | 8 | — | — |
| 1200 | SW | 2 | 3002 | | 30 | BC | ASST | 3 | 8 | — | — |
| 1600 | SW | 2 | 3000 | | 30 | BC | ASST | 3 | 8 | — | — |
| 2000 | SW | 2 | 2998 | | 28 | BC | ASST | 3 | 8 | — | — |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2015 | 19 | 3100 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 2000 | 19 | 2900 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1600

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| TOTAL FOR DAY | | — | — | |
| TOTAL FOR MONTH | | 37 | 45 | 15 |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked All A/N uis

0400 - 0800 L. M. Adams SA

0400 Checked All A/N uis

0700 Secured Main Light, Checked All A/N uis

0800 - 1200 L. M. Adams SA

0800 Morning colors - Quarters - Turned to Station work

1100 CG 16716 departed station with Murphy FN enroute Castle Hill L/B/S for supplies

1200 - 1600 L. M. Adams SA

1200 Secured for chow

1230 Held Boat drill

1300 Turned to Station work

1330 CG 16716 moored station with Murphy FN & Supplies

L. M. Adams SA

1600 - 2000

1600 Main Light on - Secured from station work Checked All A/N uis

1630 Evening colors

2000 - 2400 L. M. Adams SA

2000 Checked All A/N uis

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Ray BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 13th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 3000 | | 19 | BC | ASST | 2 | 8 | — | — |
| 0400 | SW | 2 | 3005 | | 22 | BC | ABST | 2 | 8 | — | — |
| 0800 | SW | 2 | 3010 | | 24 | BC | ASST | 2 | 8 | — | — |
| 1200 | SW | 2 | 3020 | | 34 | BC | ASST | 2 | 8 | — | — |
| 1600 | N | 1 | 3030 | | 32 | BC | ASST | 2 | 8 | — | — |
| 2000 | N | 1 | 30.39 | | 30 | BC | ASST | 2 | 8 | — | — |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 2000 | 19 | 2900 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 1985 | 19 | 2700 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | — | | |
| TOTAL FOR MONTH | | 37 | 45 | 15 |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400.

0000 Checked All A/N U's

L. M. Adams SA

0400-0800

0400 - Checked All A/N U's

0700 Secured Main Light

L. M. Adams SA

0800-1200

0800 Morning colors - Quarters - Turned to station work

1200-1600 L. M. Adams SA

1200 Secured for Chow - Checked All A/N U's

1230 Held Station Inspection

1300 Secured from Station Inspection - Turned to Station work

L. M. Adams SA

1600-2000

1600 Secured from station work

1630 Main Light on - Checked All A/N U's

2000-2400

2000 Checked All A/N U's

L. M. Adams SA

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 14TH JANUARY 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | CALM | | 30 45 | – | 31 | BC | ASST | 3 | 8 | – | – |
| 0400 | CALM | | 30 50 | – | 32 | BC | ASST | 3 | 8 | – | – |
| 0800 | CALM | | 30.55 | – | 33 | BC | ASST | 3 | 8 | – | – |
| 1200 | SW | 1 | 30.49 | – | 43 | BC | ASST | 3 | 8 | – | – |
| 1600 | SW | 2 | 30.45 | – | 40 | – | – | – | 8 | | |
| 2000 | SW | 2 | 30.40 | – | 38 | – | – | – | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1985 | 19 | 2700 |
| EXPENDED | 15 | – | 200 |
| REMAINING | 1970 | 19 | 2,500 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | – | | |
| TOTAL FOR MONTH | | 37 | 45 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-04000

0000 Checked ALL A/N U/S

0400 Checked ALL A/N U/S

Walter J Murphy Fn

0400-0800

0700 MAIN Light off

W. J. Murphy Fn

0800-1200

0800 MORNING COLORS, QUARTERS, TURNED to

1000 Roy BM-1 And Adams SA. DEPARTED STATION
IN CG 16716

1030 Roy BM-1 And Adams SA. RETURNED TO STATION

1045 MURPHY FN And Adams SA. DEPARTED STATION
IN CG 16716

1130 MURPHY FN AND Adams SA. RETURNED TO
STATION.

Vincent Roy.

1600-2000

1600 MURPHY FN And Adams SA. DEPARTED.
STATION with CG 16716 FOR NEWPORT FOR chow

1630 MAIN LIGHT ON.

1635 MURPHY FN. And Adams SA RETURNED TO STATION
IN CG 16716.

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 15th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 3030 | | 30 | BC | ASST | 3 | 8 | | |
| 0400 | SW | 2 | 3020 | | 32 | BC | ASST | 4 | 8 | | |
| 0800 | S | 2 | 3006 | | 38 | BC | NS | 5 | 8 | | |
| 1200 | SE | 4 | 2990 | | 46 | R | NS | 8 | 7 | | |
| 1600 | SSE | 4 | 2962 | | 48 | R | NS | 10 | 6 | | |
| 2000 | SSE | 3 | 2968 | | 46 | R | NS | 10 | 6 | | |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1970 | 18 | 2,500 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 1955 | 19 | 2300 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| | | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

## FOG SIGNAL (Low visibility only)

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE | TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| TOTAL FOR DAY | | | | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 37 | 45 | 15 | TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N U/S

0400 Checked All A/N U/S

0400-0800

0700 Main Light off

0800 Morning colors - Quarters - Turned to station work

1010 Received R.151236Z

0800-1200

0830 CG16716 departed station with Roy BM-1 & Murphy FN on Liberty

0925 CG16716 Arrived station with White EN-2 off Liberty

L H White EN-2

1200-1600

1200 Chow

1230 Damage Control Drill

1300 Turn to station work

1600-2000

1600 Checked U/S A/N Turned on Main Light

1630 Secured Main Light Evening colors

2000-2400 L M Adams SA

2000 Checked All A/N U/S

L H White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 16th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SE | 2 | 2998 | | 38 | Bc | ASST | 6 | 8 | | |
| 0400 | SE | 3 | 2992 | | 36 | BC | ASST | 4 | 8 | | |
| 0800 | SE | 2 | 3000 | | 40 | BC | ASST | 2 | 8 | | |
| 1200 | SW | 2 | 3004 | | 42 | BC | ASST | 2 | 8 | | |
| 1600 | W | 2 | 3004 | | 36 | BC | ASST | 2 | 8 | | |
| 2000 | W | 2 | 3004 | | 33 | BC | ASST | 2 | 8 | | |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1955 | 19 | 2300 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 1940 | 19 | 2100 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | — | |
| TOTAL FOR MONTH | | 37 | 45 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400
checked Vis A/N
L G White

0400 - 0800
0400 checked Vis A/N
0700 Secured main light
L G White

0800 - 1200
0800. Morning Colors Turn To station Work
1120. Received Pr.162035Z
1100 Received Pr160120Z
Louis G White

1200 - 1600
1200 Chow
1230 Fire Drill
1300 Turn To station Work
L G White

1600 - 2000
1600 checked Vis A/N
1630 Secured station Work Turned on Main Light
1645 Evenings Colors
L G White

2000 - 24000
2000 - checked Vis A/N
L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 17th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | WSW | 2 | 3004 | | 26 | BC | ASST | 2 | 8 | — | — |
| 0400 | WSW | 2 | 3004 | | 28 | BC | ASST | 2 | 8 | — | — |
| 0800 | WSW | 2 | 3004 | | 30 | BC | ASST | 2 | 8 | — | — |
| 1200 | WSW | 2 | 2994 | | 36 | BC | ASST | 2 | 8 | — | — |
| 1600 | WSW | 2 | 2998 | | 35 | BC | ASST | 2 | 8 | — | — |
| 2000 | W | 1 | 3030 | | 24 | DC | ASST | 2 | 8 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1940 | 19 | 2100 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 1925 | 19 | 1900 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 2 | |

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | — | | |
| TOTAL FOR MONTH | | 37 | 45 | 15 |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000- Checked Vis A/N.

L G White

0400 - 0800

0400- Checked Vis A/N.

0700 - Secured Main Light

L G White

0800-1200

0800 Morning colors- Quarters -Turned to station work

1010 Received Pr. 171440Z

L. M. Adams SA

1200-1600

1200 Chow down - Checked All A/N Vis

1230 Held Safety Instr.

1300 Secured from drill, Turned to

1600-2000 L. M. Adams SA

1600 Checked All A/N Vis, Secured from station work

1615 Main Light on - Evening colors

LGW

2000-2400

2300 ADAMS SA Promoted to SN As of Today

2000 Checked Vis A/N

L G White

CERTIFIED TO BE CORRECT

Vincent R. Ray BM-1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 18Th January 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | W | 1 | 3030 | | 18 | BC | ASST | 1 | 8 | — | — |
| 0400 | CALM | | 3035 | | 16 | BC | ASST | 1 | 8 | — | — |
| 0800 | CALM | | 3040 | | 14 | BC | ASST | 1 | 8 | — | — |
| 1200 | SW | 2 | 3036 | | 21 | BC | ASST | 1 | 8 | — | — |
| 1600 | SW | 2 | 3024 | | 28 | BC | ASST | 1 | 8 | — | — |
| 2000 | SW | 1 | 30.26 | | 22 | BC | ASST | 3 | 8 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1925 | 19 | 1900 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 1910 | 19 | 1700 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1615

**FOG SIGNAL** (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

| FOG SIGNAL TIME START | FOG SIGNAL TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE | RADIOBEACON TIME START | RADIOBEACON TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| TOTAL FOR DAY | | — | — | | TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | 37 | 45 | | TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START 1145 TIME STOP 1200

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000-Checked u/s A/N.

L. M. Adams SN

0400 - 0800

0400 Checked All A/N u/s

L. M. Adams SN

0700 Secured Main Light

L. M. Adams SN

0800 - 1200

0800 Morning colors, Quarters - Turned to station work

1100 Started station machinery

1200 - 1600 L. M. Adams SN

1200 Chow "down"

1230 Held "ABC" drill

☆1200 Secured station machinery

1300 Turned to station work

☆1145 Foghorn Test

☆1200 Secured from foghorn test

1600 - 2000 L. M. Adams SN

1600 Checked All A/N u/s, Secured from ~~station inspection~~ station work

1615 Main Light on - Evening colors

1645 CG40522 moored with Roy BM1 and Murphy FN off liberty.

1650 CG40522 departed with Adams SN on liberty

W J Murphy Fn

2000 - 2400

2000 Checked ALL A/N u/s

CERTIFIED TO BE CORRECT

Vincent P. Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 19th January 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | CALM | | 30.28 | | 15 | BC | ASST | 3 | 8 | – | – |
| 0400 | NW | 1 | 30.29 | | 18 | BC | ASST | 4 | 8 | – | – |
| 0800 | NW | 1 | 30.30 | – | 20 | BC | ASST | 5 | 8 | – | – |
| 1200 | NW | 1 | 3020 | | 28 | BC | ASST | 4 | 8 | – | – |
| 1600 | N | 1 | 30.14 | – | 26 | BC | ASST | 4 | 8 | – | – |
| 2000 | N | 1 | 30 17 | | 23 | BC | ASST | 5 | 8 | – | – |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1910 | 19 | 1700 |
| EXPENDED | - 10 | – | 200 |
| REMAINING | 1900 | 19 | 1500 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1606

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | – | – | |
| TOTAL FOR MONTH | | 37 | 45 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ________ TIME STOP ________

**RADIOBEACON TEST**

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked all a/n u/s

0400 Checked all a/n u/s

W J Murphy Jr

0400-0800

0700 Main light off

W J Murphy Jr

0800-1200

0800 Morning colors, quarters, turned

W J Murphy Jr

1200-1600

1200 Secured for chow

1230 Held boat drill

1300 Secured from drill, turned to

1315 changed Main Light

1435 CG16716 departed for gull rocks

W J Murphy Jr

1600-2000

1615 CG16716 moored station, main light on

1630 Evenning colors

W J Murphy Jr

2000-2400

2000 Checked all a/n u/s

W J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 20th January 1982 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | CA | Lm | 30.17 | - | 20 | BC | ASST | 3 | 8 | - | - |
| 0400 | CA | Lm | 30.17 | - | 23 | C | ST | 5 | 8 | - | - |
| 0800 | NW | 1 | 3017 | - | 25 | C | ST | 5 | 8 | - | - |
| 1200 | NW | 1 | 3012 | - | 30 | C | ST | 5 | 8 | - | - |
| 1600 | Ca | lm | 3018 | - | 32 | S | ST | 3 | 8 | - | - |
| 2000 | NW | 1 | 3024 | | 25 | C | - | - | 8 | - | - |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1900 | 19 | 1500 |
| EXPENDED | 15 | - | 200 |
| REMAINING | 1885 | 19 | 1300 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0700 Time Lighted 1500

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 1500 | 1630 | 1 | 30 | 15 |
| TOTAL FOR DAY | | 1 | 30 | |
| TOTAL FOR MONTH | | 39 | 15 | 15 |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked ALL A/N uis
0400 Checked ALL A/N uis

W J Murphy Fn

0400-0800

0700 MAIN Light off

W J Murphy Fn

0800-1200

0800 Morning colors, quarters, Turned to
1030 Started station machinery
1130 Secured station machinery

1200-1600

1200 Chow
1230 Held Station Inspection
1300 Turned to station work, Secured from Inspection
1315 CG16716 departed station, enroute Castle Hill L/B/S with Murphy FN & White EN-2 (White on Liberty)
1345 CG16716 moored station with Adams SN off liberty,
1500 Low visability, foghorn on Main Light & Gull RK'S bell

1600-2000

1630 Evening colors, Secured foghorn & Gull RK's bell

L. M. Adams SN

2000-2400

2000 Checked All A/N uis

L. M. Adams SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 21st January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 1 | 3030 | - | 20 | BC | ASST | 1 | 8 | - | - |
| 0400 | NW | 1 | 30.36 | - | 22 | BC | ASST | 2 | 8 | - | - |
| 0800 | NW | 1 | 30.43 | - | 23 | BC | ASST | 3 | 8 | - | - |
| 1200 | NW | 1 | 30.38 | - | 34 | BC | ASST | 3 | 8 | - | - |
| 1600 | SW | 1 | 30.34 | - | 32 | BC | ASST | 3 | 8 | - | - |
| 2000 | SW | 3 | 30.18 | - | 30 | BC | ASST | 3 | 8 | - | - |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1885 | 19 | 1300 |
| EXPENDED | 15 | - | 200 |
| REMAINING | 1870 | 19 | 1100 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0730 Time Lighted 1630

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| TOTAL FOR DAY | | - | - | |
| TOTAL FOR MONTH | | 39 | 15 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START 0545 TIME STOP 1600

**RADIOBEACON TEST**

TIME START TIME STOP

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked ALL A/N vis

0400 Checked ALL A/N vis

W J Murphy Jr

0400-0800

0730 Main Light extinguished

W J Murphy Jr

0800-1200

0800 Morning colors, quarters, Turned To

1200-1600 L. M Adams SN

1200 Chow down

1230 Holiday Routine

1500 Started station machinary for test

1545 Foghorn test

L. M. Adams SN

1600-2000

1600 Secured station machinary & Foghorn test

1630 Main Light on, Checked All A/N vis

1645 Evening colors

L. M. Adams SN

2000-2400

2000 Checked All A/N vis

L. M. Adams SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 22nd January 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 3012 | — | 30 | BC | ASST | 4 | 7 | — | — |
| 0400 | SW | 2 | 3008 | — | 30 | BC | ASST | 4 | 6 | — | — |
| 0800 | SW | 3 | 3000 | — | 30 | OF | NS | 10 | 4 | — | — |
| 1200 | SW | 2 | 2980 | — | 41 | O/F | NS | 10 | 3 | — | — |
| 1600 | SW | 3 | 2974 | | 42 | OM | NS | 4 | 6 | — | — |
| 2000 | SW | 3 | 29.70 | | 44 | O | ST | 4 | 6 | — | — |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1870 | 19 | 1100 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 1855 | 19 | 900 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0915 Time Lighted 1608

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0700 | 0915 | 2 | 15 | 15 |
| 1030 | 1400 | 3 | 30 | 15 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | 5 | 45 | |
| | | ~~45~~ | 00 | |
| TOTAL FOR DAY | | 5 | 00 | 15 |
| TOTAL FOR MONTH | | 56 | 45 | |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - 0400

0000 Checked All A/N vis

L. M. Adams SN

0400-0800

0400 Checked All A/N vis

0700 Low visability, Foghorn on & Gull RK's bell

L. M. Adams SN

0800-1200

0800 Morning colors - Quarters, Turned to station work

*0500 Received P220930Z from Castle Hill

0915 Secured Fog horn & Gull RK's bell & Main Light

1030 Low visability Turned on Main Light, Foghorn & Gull RK's bell

1200-1600 L. M. Adams SN

1200 Chow down

1230 Held Damage control drill

1300 Secured from drill, Turned to

1400 Secured Main Light, foghorn & Gull RKS bell

1600 - 2000

1615 Main Light on L. M. Adams SN

1630 Evening colors, Secured station work

2000 - 2400 L. M. Adams SN

2000 Checked All A/N vis

L. M. Adams SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 23rd January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 3012 | | 30 | BC | ASST | 2 | 8 | — | — |
| 0400 | SW | 2 | 2976 | | 36 | BC | ASST | 2 | 8 | — | — |
| 0800 | SW | 3 | 2970 | | 41 | BC | ASST | 2 | 8 | — | — |
| 1200 | NW | 4 | 2974 | | 37 | BC | ASST | 2 | 8 | — | — |
| 1600 | NNW | 2 | 2984 | | 34 | BC | ASST | 2 | 8 | — | — |
| 2000 | NW | 2 | 2982 | | 35 | BC | ASST | 2 | 8 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1855 | 19 | 900 |
| EXPENDED | 15 | - | 20 |
| REMAINING | 1840 | 19 | 700 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| 0000 | 0600 | 6 | 00 | 15 |
| TOTAL FOR DAY | | 6 | 00 | 15 |
| TOTAL FOR MONTH | | 51 | 00 | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 ~~Checked~~ WJm all a/n ~~vis~~ wjm not vis.
Turned on Fog horn and gull rocks bell

0400-0800 L.M. Adams SN

0400 Checked All A/N not vis
0600 Secured Gull RK's bell & Foghorn
0700 Secured Main Light

0800-1200 L.M. Adams SN

0800 Checked All A/N vis, Morning colors Quarters
Turned to station work
0900 Held Foghorn & power failure ~~test~~ drill
0930 Secured from drill, Turned to

1200-1600 L.M. Adams SN

1200 Chowdown, Checked All A/N vis
1230 Held Fire drill
1300 Secured from drill, Turned to
1320 CG. 40522 Arrived with White EN-2
CG 40522 Departed with Roy BM-1 and Murphy FN.
on liberty

L.M. Adams SN

1600-2000

1600 Secured from station work
1630 Checked All A/N vis, Main Light ON
1645 Evening colors

L.M. Adams SN

2000-2400

2000 Checked All A/N vis
2220 P240210Z from Castle Hill L/B/S

L.M. Adams SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 24th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 2 | 3000 | | 30 | BC | ASST | 2 | 8 | — | — |
| 0400 | NW | 2 | 3008 | | 34 | BC | ASST | 2 | 8 | — | — |
| 0800 | Calm | | 3006 | | 35 | BC | ASST | 2 | 8 | — | — |
| 1200 | SW | 3 | 3000 | | 36 | BC | ASST | 3 | 7 | — | — |
| 1600 | SW | 4 | 2982 | | 39 | BC | ASST | 5 | 7 | — | — |
| 2000 | SW | 4 | 2960 | | 39 | BC | ASST | 5 | 7 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1840 | 19 | 700 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 1825 | 19 | 500 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | — | — | |
| TOTAL FOR MONTH | | 51 | 00 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N Vis

0400-0800 L. M. Adams SN

0400 Checked All A/N Vis

0700 Secured Main Light

0800-1200 L. M. Adams SN

0800 Morning colors, Quarters - Turned to station work

1110 Rec P241538Z from Castle Hill L/B/S

1200-1600 L. M. Adams SN

1200 Chow down

1230 Held Safety Instr.

1300 Secured from Instr. - Turned to station work

L. M. Adams SN

1600-200

1600 Checked Vis. A/N

1630 Turned on Main Light, Secured station work

1645 Evening colors

L. M. Adams SN

2000-2400

2000 Checked All A/N Vis

L. M. Adams SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 25th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | W | 2 | 2968 | | 30 | BC | ASST | 2 | 8 | — | — |
| 0400 | W | 2 | 2964 | | 34 | BC | ASST | 2 | 8 | — | — |
| 0800 | W | 2 | 2967 | | 38 | BC | ASST | 2 | 8 | — | — |
| 1200 | W | 2 | 2966 | | 48 | BC | ASST | 3 | 7 | — | — |
| 1600 | NW | 2 | 2976 | | 44 | BC | ASST | 2 | 8 | — | — |
| 2000 | NW | 2 | 2990 | | 40 | BC | ASST | 2 | 8 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1825 | 19 | 500 |
| EXPENDED | 15 | — | 200 |
| REMAINING | 1810 | 19 | 300 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 2 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | — | — | |
| TOTAL FOR MONTH | | 51 | 00 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

# RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N ai's

L. M. Adams SN

0400-0800

0400 Checked All A/N ai's

0700 Secured Main Light

0800-1200

L. M. Adams SN

0800 Morning colors, Quarters - Turned to station work, Checked All A/N ai's

1200-1600

L. M. Adams SN

1200 Chow down, started station machinery for test

1230 Held "ABC" drill

1300 Secured from drill, Turned to station work Secured station machinery

L. M. Adams SN

1600-2000

1600 Secured from station work

1630 Turned on Main Light, Checked All A/N ai's

1645 Evening Colors

L. M. Adams SN

2000-2400

2000 Checked All A/N ai's

L. M. Adams SN

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 26th, January 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | W | 2 | 3000 | | 30 | BC | ASST | 1 | 8 | — | — |
| 0400 | W | 1 | 3007 | | 31 | BC | ASST | 1 | 8 | — | — |
| 0800 | Calm | | 3014 | | 34 | BC | ASST | 1 | 8 | — | — |
| 1200 | SE | 1 | 30.13 | | 42 | BC | ASST | 1 | 8 | — | — |
| 1600 | E | 1 | 3000 | | 39 | BC | NS | 6 | 7 | — | — |
| 2000 | S | 3 | 29.77 | | 41 | R | NS | 7 | 7 | — | — |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1810 | 19 | 300 |
| EXPENDED | 15 | — | 100 |
| REMAINING | 1795 | 19 | 200 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| 2300 | 2400 | 1 | 00 | 15 |
| TOTAL FOR DAY | | 1 | 00 | |
| TOTAL FOR MONTH | | 52 | 00 | |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | REGULAR RADIOBEACON MIN. | SPECIAL CALIB. BEACON HR. | SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N Vis

L.M. Adams SN

0400-0800

0400 Checked All A/N Vis

0700 Secured Main Light

L.M. Adams SN

0800-1200

0800 Morning colors, Quarters - Turned to station work
Checked All A/N Vis

1037 CG 40522 Moored Station With Roy BM-1 and Murphy FN off Liberty
Departed With Adams, SN

L.G. White

1200-1600

1200 Chow
1230 Held Boat Drill
1300 Secured from Drill Turn To Station Work

1600-2000

1600 Checked Vis A/N
1630 Turned on Main Light secured Station Work
1645 Evening Colors

W.J. Murphy Fn

2000-2400

2000 ~~Checked~~ wjm all a/n ~~not~~ vis

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 27th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND |  | BAROMETER | TEMP. °F. |  | WEATHER | CLOUDS |  | VIS. | SEA |  |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | DIR. | FORCE |  | WET | DRY |  | FORM | AMT. |  | DIR. | HEIGHT IN FT. |
| 0000 | CALM |  | 29 78 | – | 30 | RF | NS | 10 | 4 | – | – |
| 0400 | W | 1 | 29 78 | – | 32 | O | ST | 8 | 6 | – | – |
| 0800 | W | 2 | 29 79 | – | 34 | BC | ASST | 4 | 8 | – | – |
| 1200 | NW | 3 | 2980 | – | 39 | BC | ASST | 4 | 8 | – | – |
| 1600 | WNW | 2 | 29.93 | – | 36 | BC | ASST | 4 | 8 | – | – |
| 2000 | CALM |  | 30.11 | – | 28 | B. | – | – | 8 | – | – |

**SUPPLIES** (Vessel Report Daily)

|  | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1795 | 19 | 200 |
| EXPENDED | 15 | – | 100 |
| REMAINING | 1780 | 19 | 100 |

**COMPLEMENT**

|  | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 |  |
| ATTACHED | 4 |  |
| AL, AWL, AOL |  |  |
| AH |  |  |
| PRESENT | 3 |  |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| 0000 | 0300 | 3 | 00 | 15 |
| TOTAL FOR DAY |  | 3 | 00 |  |
| TOTAL FOR MONTH |  | 55 | 00 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | REGULAR RADIOBEACON MIN. | SPECIAL CALIB. BEACON HR. | SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| TOTAL FOR DAY |  |  |  |  |  |  |  |  |
| TOTAL FOR MONTH |  |  |  |  |  |  |  |  |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 All a/n not vis
0300 Secured foghorn and gull rocks bell
0400 Checked all a/n vis

W J Murphy Jr

0400-0800

0700 - Main light off.

W J Murphy Jr

0800-1200

0800 - Morning colors, quarters, turned to
1130 SECURED FOR CHOW

Vincent R. Roy BM-1

1200-1600

1300 HELd STATION INSPECTION TO STATION WORK.
1330 SECURED FROM INSPECTION
1600 SECURED FROM STATION WORK.

Vincent R. Roy BM-1

1600-2000

1645 MAIN LIGHT ON.
1700 COLORS. CHECKED ALL VIS A/N

Vincent R. Roy BM-1

2000-2400

2000 Checked all vis a/n

W J Murphy Jr

CERTIFIED TO BE CORRECT

Vincent R Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 28th January 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | N | 1 | 30.11 | — | 26 | BC | ASST | 3 | 8 | — | — |
| 0400 | N | 1 | 30.11 | — | 24 | BC | ASST | 3 | 8 | — | — |
| 0800 | N | 1 | 30.11 | — | 23 | C | AS | 10 | 8 | — | — |
| 1200 | N | 1 | 30.03 | — | 22 | C | AS | 10 | 8 | — | — |
| 1600 | N | 2 | 30.03 | | 22 | C | AS | 9 | 8 | | |
| 2000 | NW | 2 | 30.03 | | 22 | C | AS | 8 | 8 | | |

SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1780 | 19 | 100 |
| EXPENDED | 15 | — | — |
| REMAINING | 1765 | 19 | 100 |

COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

MAIN LIGHT Time Extinguished 0700 Time Lighted 1630

FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 55 | 00 | 15 |

RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked all vis A/N

0400 Checked ALL vis A/N

WJ Murphy Jr

0400-0800

0700 Main light off

WJ Murphy Jr

0800-1200

0800 Morning colors, quarters, Turned To

WJ Murphy Jr

1200-1600

1200 Secured for chow

1230 turned to

L J White

1600-2000

1600 Checked vis A/N

1630 turned on main light secured Station work

1645 evening colors

L J White

2000-2400

2000 Checked vis A/N

L J White

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 29th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 1 | 30.02 | — | 19 | BC | ASST | 5 | 8 | — | — |
| 0400 | NW | 1 | 30.02 | — | 17 | BC | ASST | 3 | 8 | — | — |
| 0800 | NW | 1 | 30.02 | — | 15 | BC | ASST | 3 | 8 | — | — |
| 1200 | N | 1 | 3001 | — | 20 | BC | ASST | 3 | 8 | — | — |
| 1600 | N | 1 | 3003 | — | 20 | BC | ASST | 3 | 8 | — | — |
| 2000 | SW | 2 | 29.96 | — | 20 | BC | AS/ST | 3 | 8 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1765 | 99 | 100 |
| EXPENDED | 15 | — | — |
| REMAINING | 1746 | 99 | 100 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRESSURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | 55 | 00 | 15 |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked ALL A/N vis

0400 Checked All A/N vis

W J Murphy Fn

0400-0800

0700 Main light off

W J Murphy Fn

0800-1200

0800 Morning colors, quarters, Turned to

1040 CG 40522 moored with Adams SN off liberty

1045 CG 40522 departed with White EN2 on liberty

1200-1600 L.M. Adams SN

1200 Chow down

1230 Turned to

1600-2000 L.M. Adams SN

1600 Checked All A/N vis, Secured from station work

1630 Turned on Main Light

1655 Evening colors

*1555 Received P 292030Z from Castle Hill

2000-2400

2000 Checked All A/N vis

L.M. Adams SN

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 30th January 1962 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | SW | 2 | 29.90 | - | 20 | BC | AS | 7 | 8 | — | — |
| 0400 | SW | 4 | 2980 | - | 20 | O/S | NS | 10 | 4 | — | — |
| 0800 | SW | 8 | 2966 | — | 42 | Q | NS | 10 | 4 | — | — |
| 1200 | SW | 6 | 2938 | | 41 | OM | NS | 80 | 6 | — | — |
| 1600 | NW | 6 | 2934 | | 36 | O | NS | 10 | 7 | — | — |
| 2000 | NW | 4 | 2952 | | 28 | BC | ASST | 4 | 6 | — | — |

## SUPPLIES (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1740 | 19 | 100 |
| EXPENDED | 15 | — | 100 |
| REMAINING | 1725 | 19 | 0000 |

## COMPLEMENT

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0830 Time Lighted 1630

## FOG SIGNAL (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED HR. | SIGNAL OPERATED MIN. | AIR PRESSURE |
|---|---|---|---|---|
| 0230 | 0830 | 6 | 00 | 15 |
| 1000 | 1400 | 4 | 00 | 15 |
| TOTAL FOR DAY | | 10 | 00 | |
| TOTAL FOR MONTH | | 65 | 00 | 15 |

## RADIOBEACON (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG HR. | LOW VISIBILITY AND FOG MIN. | ANT. CUR. | CALIBRATION SERVICES REGULAR RADIOBEACON HR. | REGULAR RADIOBEACON MIN. | SPECIAL CALIB. BEACON HR. | SPECIAL CALIB. BEACON MIN. |
|---|---|---|---|---|---|---|---|---|
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

## FOG SIGNAL TEST

TIME START ________ TIME STOP ________

## RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/W vis

0230 Low visability turned on foghorn & Gull RK'S bell

L. M. Adams SN

0400-0800

0400 Received P300920Z From Castle Hill L/B/S

0

0800-1200

0800 Morning colors, Quarters - Turned to station work

L. M. Adams SN

0820 Received P301242Z From Castle Hill L/B/S Change present S/c to Gale Warnings

0830 Secured Main Light, Foghorn & Gull RK'S bell started compressor for test in foghorn shack

0930 Secured ~~compres~~ compressor for Test

1000 Low visability, Main Light on - foghorn & Gull RK'S bell on

1200-1600

L. M. Adams SN

1200 Chow down

1230 Turned to station work

1400 Secured Main Light, Foghorn & Gull RK'S bell

1600-2000

L. M. Adams SN

1600 Secured station work

1645 Main Light on, Checked All A/W vis

1655 Evening colors

L. M. Adams SN

2000-2400

2000 Checked All A/W vis

L. M. Adams SN

CERTIFIED TO BE CORRECT

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

# LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 31st January 1962 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

| TIME | WIND | | BAROMETER | TEMP. °F. | | WEATHER | CLOUDS | | VIS. | SEA | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | DIR. | FORCE | | WET | DRY | | FORM | AMT. | | DIR. | HEIGHT IN FT. |
| 0000 | NW | 3 | 2960 | | 05 | BC | ASST | 2 | 8 | — | — |
| 0400 | NW | 3 | 2980 | | 08 | BC | ASST | 2 | 8 | — | — |
| 0800 | NW | 3 | 2992 | | 10 | BC | ASST | 2 | 8 | — | — |
| 1200 | NW | 3 | 2986 | | 16 | BC | ASST | 2 | 8 | — | — |
| 1600 | BW | 2 | 2986 | | 18 | BC | AS/ST | 3 | 8 | — | — |
| 2000 | SW | 2 | 2986 | | 22 | BC | AS/ST | 4 | 8 | — | — |

**SUPPLIES** (Vessel Report Daily)

| | FUEL OIL OR GASOLINE | LUB. OIL | WATER |
|---|---|---|---|
| RECEIVED | 1725 | 19 | 0000 |
| EXPENDED | 15 | — | — |
| REMAINING | 1710 | 19 | 0000 |

**COMPLEMENT**

| | MILITARY | CIVILIAN |
|---|---|---|
| AUTHORIZED | 4 | |
| ATTACHED | 4 | |
| AL, AWL, AOL | | |
| AH | | |
| | | |
| PRESENT | 3 | |

**MAIN LIGHT** Time Extinguished 0700 Time Lighted 1630

**FOG SIGNAL** (Low visibility only)

| TIME START | TIME STOP | SIGNAL OPERATED | | AIR PRES-SURE |
|---|---|---|---|---|
| | | HR. | MIN. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| TOTAL FOR DAY | | | | |
| TOTAL FOR MONTH | | | | |

**RADIOBEACON** (Low visibility and calibration time only)

| TIME START | TIME STOP | LOW VISIBILITY AND FOG | | ANT. CUR. | CALIBRATION SERVICES | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | REGULAR RADIOBEACON | | SPECIAL CALIB. BEACON | |
| | | HR. | MIN. | | HR. | MIN. | HR. | MIN. |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TOTAL FOR DAY | | | | | | | | |
| TOTAL FOR MONTH | | | | | | | | |

**FOG SIGNAL TEST**

TIME START ______ TIME STOP ______

**RADIOBEACON TEST**

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

## RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-0400

0000 Checked All A/N vis

L.M. Adams SN

0400-0800

0400 Checked All A/N vis
0415 Received 7300936Z From Castle Hill L/B/S
0700 Secured Main Light

0800-1200 L.M. Adams SN

0800 Morning colors, Quarters - Turned to Station work
1100 W-403 moored station to supply water
CGC Spar

1200-1600 L.M. Adams SN

1200 Chow down
1230 Turned to station work
1445 CGC Spar departed station.
1330 CG 64309 moored station with White EN-2 off liberty & departed with Roy BM-1 & Murphy FN on liberty

1600-2000 L.M. Adams SN

1600 Checked All A/N vis
1605 Secured station work
1645 Main Light on
1700 Evening colors

2000-2400

2000 Checked vis A/N

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545—1